1	

L Number	Hits	Search Text	DB	Time stamp
Numer		CF 20003 mm	USPAT;	2003/10/23
-	1	6529903.pn.		
			US-PGPUB;	14:29
			EPO; JPO;	
			IBM TDB	
	25	ambiguous with search with quer\$4	USPAT;	2003/10/23
_	23	ambiguous with seatch with query		14:30
			US-PGPUB;	14:30
			EPO; JPO;	
			IBM TDB	
_	42	ambigu\$5 with search\$4 with guer\$4	USPAT;	2003/10/23
_	32	ambiguys with scalence with quely		14:39
			US-PGPUB;	14.39
			EPO; JPO;	
	1		IBM TDB	
_	3	ambigu\$5 with search\$4 with quer\$4 and	USPAT;	2003/10/23
		google.as.	US-PGPUB;	14:30
		googie.as.	i ·	14.50
			EPO; JPO;	
			IBM_TDB	
_	0	ambigu\$5 with search\$4 with quer\$4 and	USPAT;	2003/10/23
	_	lycos.as.	US-PGPUB;	14:30
		11,003.43.		11.00
			EPO; JPO;	
,	1		IBM_TDB	1
-	38	lycos.as.	USPAT;	2003/10/23
		-	US-PGPUB;	14:31
			EPO; JPO;	·
1				1
			IBM_TDB	
-	0	lycos.as. and ambiguous	USPAT;	2003/10/23
		j -	US-PGPUB;	14:31
			EPO; JPO;	
			1	
	1		IBM_TDB	!
1 -	0	lycos.as. and ambig\$7	USPAT;	2003/10/23
			US-PGPUB;	14:31
			EPO; JPO;	
	_		IBM_TDB	2000/10/00
i -	0	lycos.as. and ambig\$	USPAT;	2003/10/23
ļ	1		US-PGPUB;	14:31
	ł		EPO; JPO;	
			IBM TDB	
	_ ا	3 3 4		2003/10/23
-	5	lycos.as. and search with quer\$4	USPAT;	1
ļ.			US-PGPUB;	14:32
			EPO; JPO;	
			IBM TDB	
	0	lycos.as. and (ambigu\$7 doubt\$4	USPAT;	2003/10/23
! -	0		1	1 ' '
	1	un\$certain\$4) with quer\$4	US-PGPUB;	14:33
†			EPO; JPO;	
	1		IBM TDB	
_	0	lycos.as. and (ambigu\$7 doubt\$4	USPAT;	2003/10/23
	1	un\$certain\$4) with search\$4	US-PGPUB;	14:33
	1	mitoercatifial Atom Searchia		1 - 1 - 3 - 3
	1		EPO; JPO;	
]	1		IBM_TDB	
-	4	lycos.as. and (ambigu\$7 doubt\$4	USPAT;	2003/10/23
	1	un\$certain\$4)	US-PGPUB;	14:33
			EPO; JPO;	
			IBM_TDB	
-	3	ambigu\$5 with search\$4 with quer\$4 and	USPAT;	2003/10/24
1		google.as.	US-PGPUB;	13:57
		, ,	EPO; JPO;	
	_		IBM_TDB	0000 (10 (00
-	39		USPAT;	2003/10/23
		google.as.	US-PGPUB;	14:51
	1	-	EPO; JPO;	
	1		IBM TDB	
	1			2002/10/22
-	19		USPAT;	2003/10/23
	1	google.as. and keyboard	US-PGPUB;	14:41
İ			EPO; JPO;	
			IBM TDB	
ł	_	ambiance with a such as a second of the		2003/10/22
-	1		USPAT;	2003/10/23
	1	google.as. and keyboard and keypad	US-PGPUB;	14:40
ļ	Ī		EPO; JPO;	
	1		IBM TDB	
	<u> </u>		1	<u> </u>

-	21	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/23
		google.as. and search with engine	US-PGPUB;	14:50
			EPO; JPO;	
			IBM_TDB	
-	3	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/23
		google.as. and search with engine and	US-PGPUB;	15:11
-		map\$4 with ambigu\$7	EPO; JPO;	
	_		IBM_TDB	
-	1	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/23
		google.as. and search with engine and	US-PGPUB;	14:50
1		key\$pad	EPO; JPO;	
	_	1 1 25 111 124 111 24	IBM_TDB	0000/10/00
-	3	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/23
		google.as. and key\$pad	US-PGPUB;	15:23
			EPO; JPO;	
	0		IBM_TDB	2002/10/22
_	١	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/23
		google.as. and key\$pad and serch\$4 and	US-PGPUB;	14:53
		quer\$4	EPO; JPO;	
_	3	ambjouss with soanched with success not	IBM_TDB USPAT;	2003/10/23
_	3	ambigu\$5 with search\$4 with quer\$4 not google.as. and key\$pad and search\$4 and	USPAT; US-PGPUB;	14:54
		google.as. and keyspad and search\$4 and quer\$4	EPO; JPO;	14:24
		dreras	IBM TDB	
l _	1	ambigu\$5 with search\$4 with guer\$4 not	USPAT;	2003/10/23
_		google.as. and key\$pad and search\$4 and	US-PGPUB;	14:54
		quer\$4 and engine	EPO; JPO;	17.57
1		querys and engine	IBM TDB	
_	0	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/23
		google.as. and key\$pad and search\$4 and	US-PGPUB;	14:54
		quer\$4 and dictrionar\$4	EPO; JPO;	11.01
		query and arcerronary.	IBM TDB	
_	3	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/23
		google.as. and key\$pad and search\$4 and	US-PGPUB;	14:55
		quer\$4 and dictionar\$4	EPO; JPO;	
		11111	IBM TDB	
-	1	ambigu\$5 with search\$4 with quer\$4 not	USPĀT;	2003/10/23
	_	google.as. and key\$pad and search\$4 and	US-PGPUB;	14:55
		quer\$4 and dictionar\$4 and map\$4 with	EPO; JPO;	
		ambigu\$7	IBM TDB	
-	1	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/23
		google.as. and key\$pad and search\$4 and	US-PGPUB;	14:55
		quer\$4 and dictionar\$4 and map\$4 same	EPO; JPO;	
		ambigu\$7	IBM_TDB	
-	3	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/23
		google.as. and key\$pad and search\$4 and	US-PGPUB;	14:56
		quer\$4 and dictionar\$4 and map\$4	EPO; JPO;	
İ			IBM_TDB	
-	3	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/24
		google.as. and key\$pad and search\$4 and	US-PGPUB;	08:38
		quer\$4 and dictionar\$4 and map\$4 and	EPO; JPO;	
		ambiguous	IBM_TDB	0000/20/05
-	3		USPAT;	2003/10/23
		google.as. and search with engine and	US-PGPUB;	15:14
		map\$4 with ambigu\$7 and ambigu\$7	EPO; JPO;	
	_	, , , , , , , , , , , , , , , , , , ,	IBM_TDB	2002/10/02
-	2	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/23
		google.as. and search with engine and	US-PGPUB;	15:18
		map\$4 with ambigu\$7 and ambigu\$7 and	EPO; JPO;	
	_	ambigu\$7 with (weight factor indicat\$4)	IBM_TDB	2002/10/22
-	0	1 3	USPAT;	2003/10/23
		google.as. and search with engine and	US-PGPUB;	13.15
		map\$4 with ambigu\$7 and ambigu\$7 and	EPO; JPO;	
		ambigu\$7 with (weight factor indicat\$4)	IBM_TDB	
_	1	and weigh\$4 and factor	IICDAT.	2003/10/24
-	1	ambigu\$5 with search\$4 with quer\$4 not google.as. and search with engine and	USPAT; US-PGPUB;	10:28
		map\$4 with ambigu\$7 and ambigu\$7 and	EPO; JPO;	13.20
		maps4 with ambigus7 and ambigus7 and ambigus7 with (weight factor indicats4)	IBM TDB	
		and weigh\$4 and weigh\$4 with (high\$4	1 100 100	
		land weights and weights with (hights land weights land weights with the land weights weight weights with the land weights weight weights with the land weights weight weights weight weights with the land weight weights with the land weight weights weight weights with the land weight with the land weight weight weight weight weight weight with the land weight		
	L		<u>.l</u>	1

<u> </u>	13	("5701469" "5745894" "5758145" "5845273"	USPAT;	2003/10/23
		"5915251" "5953073" "5978792" "6026411" "6038365" "6169999" "6353820" "6377961"	US-PGPUB; EPO; JPO;	15:24
		"6421662").pn.	IBM TDB	
-	1	("5701469" "5745894" "5758145" "5845273"	USPĀT;	2003/10/23
		"5915251" "5953073" "5978792" "6026411"	US-PGPUB;	15:25
		"6038365" "6169999" "6353820" "6377961"	EPO; JPO; IBM TDB	
_	0	"6421662").pn. and ambigu\$7 ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/24
		google.as. and search with engine and	US-PGPUB;	08:14
		map\$4 with ambigu\$7 and ambigu\$7 and	EPO; JPO;	
		ambigu\$7 with (weight factor indicat\$4)	IBM_TDB	
		and weigh\$4 and weigh\$4 with (high\$4		
_	0	low\$4) and receiv\$4 with ambigu\$7 ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/24
		google.as. and search with engine and	US-PGPUB;	08:14
1		map\$4 with ambigu\$7 and ambigu\$7 and	EPO; JPO;	
		ambigu\$7 with (weight factor indicat\$4)	IBM_TDB	
		and weigh\$4 and weigh\$4 with (high\$4		
_	2	low\$4) and receiv\$4 same ambigu\$7 ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/24
	_	google.as. and key\$pad and search\$4 and	US-PGPUB;	08:38
		quer\$4 and dictionar\$4 and map\$4 and	EPO; JPO;	
		ambiguous with letter	IBM_TDB	
-	2	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/24
		google.as. and key\$pad and search\$4 and quer\$4 and dictionar\$4 and map\$4 and	US-PGPUB; EPO; JPO;	10:03
		ambiguous with letter and ambiguous with	IBM TDB	
		number		
_	0	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/24
		google.as. and key\$pad and search\$4 and	US-PGPUB;	09:40
		quer\$4 and dictionar\$4 and map\$4 and ambiguous with letter and ambiguous with	EPO; JPO; IBM TDB	
		number and map\$4 with key\$pad	TBM_TDB	
_	0	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/24
		google.as. and key\$pad and search\$4 and	US-PGPUB;	09:40
		quer\$4 and dictionar\$4 and map\$4 and	EPO; JPO;	
		ambiguous with letter and ambiguous with number and map\$4 with (key\$pad key\$board)	IBM_TDB	
_	0	ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/24
		google.as. and key\$pad and search\$4 and	US-PGPUB;	10:04
		quer\$4 and dictionar\$4 and map\$4 and	EPO; JPO;	
		ambiguous with letter and ambiguous with	IBM_TDB	
_	2	number and alpha\$4 with numeric44 ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/24
	**	google.as. and key\$pad and search\$4 and	US-PGPUB;	10:04
		quer\$4 and dictionar\$4 and map\$4 and	EPO; JPO;	
		ambiguous with letter and ambiguous with	IBM_TDB	
		number and alpha\$4 with numeric\$4	HCDAM.	2002/10/24
-	1	ambigu\$5 with search\$4 with quer\$4 not google.as. and search with engine and	USPAT; US-PGPUB;	2003/10/24
		map\$4 with ambigu\$7 and ambigu\$7 and	EPO; JPO;	
		ambigu\$7 with (weight factor indicat\$4)	IBM_TDB	
		and weigh\$4 and weigh\$4 with (high\$4		
		low\$4) and dictionary with map\$4	IIGDATT:	2002/10/24
-	0	ambigu\$5 with search\$4 with quer\$4 not google.as. and search with engine and	USPAT; US-PGPUB;	2003/10/24
		map\$4 with ambigu\$7 and ambigu\$7 and	EPO; JPO;	-0.02
		ambigu\$7 with (weight factor indicat\$4)	IBM_TDB	
		and weigh\$4 and weigh\$4 with (high\$4	_	
		low\$4) and dictionary with map\$4 and		
	0	translat\$4 with dictionary ambigu\$5 with search\$4 with quer\$4 not	USPAT;	2003/10/24
-		google.as. and search with engine and	US-PGPUB;	10:32
		map\$4 with ambigu\$7 and ambigu\$7 and	EPO; JPO;	-:
		ambigu\$7 with (weight factor indicat\$4)	IBM_TDB	
		and weigh\$4 and weigh\$4 with (high\$4		
		low\$4) and dictionary with map\$4 and translat\$4 same dictionary		
L		cranaracaa same diccionary	1	